

# SAFETY DATA SHEET Prism

## SECTION 1: Identification: Product identifier and chemical identity

**Product identifier** 

Internal identification

Product name Prism

Relevant identified uses of the substance or mixture and uses advised against

**PRISM** 

Application Dishwashing machine detergent

Uses advised against Use only for intended applications.

Details of the supplier of the safety data sheet

**Supplier** Sampson Chemical Products

42 Redcliffe Gardens Drive Clontarf, QLD, 4019 +61 7 3283 4511

sampson\_office@bigpond.com

**Contact Person** Poisons Information 131126 or Brennan Stark 0428 835 855

Manufacturer Eco Pro Australia Pty Ltd

42 Redcliffe Gardens Drive, Clontarf, QLD, 4019

+61 7 3283 4511

sampson\_office@bigpond.com

**Emergency telephone number** 

**Emergency telephone** Poisons Information 131126 or Brennan Stark 0428 835 855

## SECTION 2: Hazard(s) identification

## Classification of the substance or mixture

Physical hazards Not Classified

**Health hazards** Skin Corr. 1C - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

**Environmental hazards** Aquatic Acute 3 - H402 Aquatic Chronic 3 - H412

**Label elements** 

Hazard pictograms





Signal word DANGER

**Hazard statements** H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Prism**

**Precautionary statements** P260 Do not breathe dust.

P261 Avoid breathing dust.

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

## Contains Sodium Metasilicate Pentahydrate, Sodium Dichloroisocyanuric Acid Dihydrate

#### Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

## SECTION 3: Composition and information on ingredients

#### **Mixtures**

Sodium Carbonate	30-60%
CAS number: 497-19-8	

#### **Sodium Metasilicate Pentahydrate**

10-30%

CAS number: 10213-79-3

## Sodium Dichloroisocyanuric Acid Dihydrate

1-10%

CAS number: 51580-86-0

## ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED

1-10%

CAS number: 68439-51-0

## **SECTION 4: First aid measures**

#### **Description of first aid measures**

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel. Chemical burns must be treated by a physician.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery

position and ensure breathing can take place.

## **Prism**

**Ingestion** Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if

the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical

attention.

**Skin Contact** It is important to remove the substance from the skin immediately. Rinse immediately with

plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemical

burns must be treated by a physician.

Eye contact Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

**General information**The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Corrosive to the respiratory tract.

Symptoms following overexposure may include the following: Severe irritation of nose and

throat.

**Ingestion** May cause chemical burns in mouth, oesophagus and stomach. Symptoms following

overexposure may include the following: Severe stomach pain. Nausea, vomiting.

**Skin contact** Causes severe burns. Symptoms following overexposure may include the following: Pain or

irritation. Redness. Blistering may occur.

**Eye contact** Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

## Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

**Specific hazards** Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the

product, may be corrosive.

**Hazardous combustion** 

products

Thermal decomposition or combustion products may include the following substances: Very

toxic or corrosive gases or vapours.

**Advice for firefighters** 

**Protective actions during** 

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

#### **Prism**

Special protective equipment for firefighters

Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

Hazchem Code 2X

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with

skin and eyes.

#### **Environmental precautions**

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. This product is corrosive. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into

drains. For waste disposal, see Section 13.

#### Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal,

see Section 13.

#### SECTION 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. This product is corrosive. Immediate first aid is imperative. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without

protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

## Conditions for safe storage, including any incompatibilities

**Storage precautions** Store locked up. Keep only in the original container. Keep container tightly closed, in a cool,

well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Corrosive storage.

Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

#### SECTION 8: Exposure controls and personal protection

#### **Control parameters**

#### **Prism**

#### **Occupational exposure limits**

#### **Ethanol**

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m<sup>3</sup>

#### 2-methylpropan-2-ol

Long-term exposure limit (8-hour TWA): 100 ppm 303 mg/m<sup>3</sup> Short-term exposure limit (15-minute): 150 ppm 455 mg/m<sup>3</sup>

#### **Exposure controls**

#### **Protective equipment**













## Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** 

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.

**Environmental exposure** controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

**Appearance** Coarse granulated powder

Colour White.

**Odour** Faint chlorine odour

**Specific Gravity** 

## **Prism**

### SECTION 10: Stability and reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

Materials to avoid Oxidising agents. Acids. Some metals.

**Hazardous decomposition** 

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapours.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects

**Acute toxicity - oral** 

Notes (oral LD50) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 3,158.42

**Acute toxicity - dermal** 

Notes (dermal LD50) Based on available data the classification criteria are not met.

**Acute toxicity - inhalation** 

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Skin Corr. 1B - H314 Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.

**Respiratory sensitisation** 

**Respiratory sensitisation** Based on available data the classification criteria are not met.

**Skin sensitisation** 

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

**Carcinogenicity** 

**Carcinogenicity** Based on available data the classification criteria are not met.

IARC carcinogenicity Contains a substance/a group of substances which may cause cancer. IARC Group 1

Carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

#### **Prism**

**STOT - single exposure** STOT SE 3 - H335 May cause respiratory irritation.

Target organs Respiratory system, lungs

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

**Aspiration hazard** 

Aspiration hazard Not relevant. Solid.

**General information**The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Corrosive to the respiratory tract. Symptoms following overexposure may include the

following: Severe irritation of nose and throat.

Ingestion May cause chemical burns in mouth, oesophagus and stomach. Symptoms following

overexposure may include the following: Severe stomach pain. Nausea, vomiting.

**Skin Contact** Causes severe burns. Symptoms following overexposure may include the following: Pain or

irritation. Redness. Blistering may occur.

**Eye contact** Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target Organs Respiratory system, lungs

## **SECTION 12: Ecological information**

**Toxicity** Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

## Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

#### **Bioaccumulative potential**

**Bioaccumulative Potential** No data available on bioaccumulation.

Mobility in soil

**Mobility** No data available.

Other adverse effects

Other adverse effects None known.

## **SECTION 13: Disposal considerations**

## Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

## **Prism**

#### **Disposal methods**

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

## **SECTION 14: Transport information**

## **UN number**

UN No. (ADG) 1759 UN No. (IMDG) 1759 UN No. (ICAO) 1759

#### **UN proper shipping name**

Proper shipping name (ADG) CORROSIVE SOLID, N.O.S. (CONTAINS Sodium Metasilicate Pentahydrate)

Proper shipping name

CORROSIVE SOLID, N.O.S. (CONTAINS Sodium Metasilicate Pentahydrate)

(IMDG)

Proper shipping name (ICAO) CORROSIVE SOLID, N.O.S. (CONTAINS Sodium Metasilicate Pentahydrate)

#### Transport hazard class(es)

ADG class 8

**ADG classification code** C10

ADG label 8

IMDG class 8

ICAO class/division 8

## **Transport labels**



## Packing group

ADG packing group || IMDG packing group || ICAO packing group || I

#### **Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

## Special precautions for user

**EmS** F-A, S-B

Hazchem Code 2X

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

#### **Prism**

## **Inventories**

#### **Australia - AICS**

None of the ingredients are listed or exempt.

## SECTION 16: Any other relevant information

**Training advice** Only trained personnel should use this material.

**Revision date** 31/05/2021

Revision 3

Supersedes date 18/04/2019

**SDS No.** 4813

**General Information** The following risk and hazard statements are to be considered a glossary. They relate to the

raw materials used in this product and therefore may not be accurate for the finished product itself. For the complete risk and hazard statements for this product please refer to section 2 of

this Safety Data Sheet

**Hazard statements in full** H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.